

### 2019 Code Cycle - Locally Adopted Energy Ordinances

Jurisdiction	Ord. Type	Council Adopted Date	CEC Approval Date	Single Family and Low-rise Multifamily Requirement	High-rise Multifamily Requirement	Nonresidential Requirement	Cost-effectiveness Study	Municipal Code Link	Ordinance
Berkeley	EE	12/3/2019	2/20/2020	<u>New</u> : All-electric <b>OR</b> Mixed Fuel, Total EDR margin $\geq$ 10 <b>AND</b> electric-ready	<u>New HRR/Hotel</u> : All-electric <b>OR</b> Mixed-Fuel and >10% compliance margin	<u>New</u> : All-electric <b>OR</b> Mixed-Fuel: 10% compliance margin <b>AND</b> electric-ready Exception: Labs, industrial, manufacturing occupancies	2019 LR Res NC / 2019 Non Res NC	19.36.040	<a href="#">Ord. No 7,678-N.S.</a>
	PV	12/3/2019	2/20/2020	N/A	<u>New</u> : PV system to fill solar zone (>15% of roof area) as defined in Sec. 110.10	<u>New</u> : PV system to fill solar zone (>15% of roof area) as defined in Sec. 110.10		19.36.100.3	
Brisbane	PV	12/12/2019	2/20/2020	N/A (see All-electric sheet)	<u>New</u> : PV of 3 kW min. for < 10,000 sq. ft. and 5 kW min. for > 10,000 sq. ft <b>OR</b> Solar thermal	<u>New</u> : PV of 3 kW min. for < 10,000 sq. ft. and 5 kW min. for > 10,000 sq. ft <b>OR</b> Solar thermal	2019 LR Res NC / 2019 Non Res NC	15.81.050	<a href="#">Ord. No. 643</a>
Burlingame	PV	8/17/2020		N/A (see All-electric sheet)	<u>New</u> : PV of 3 kW min. for < 10,000 sq. ft. and 5 kW min. for > 10,000 sq. ft. Alternative: Solar thermal > 40 sq.ft. collector area	<u>New</u> : PV of 3 kW min. for < 10,000 sq. ft. and 5 kW min. for > 10,000 sq. ft. Alternative: Solar thermal > 40 sq.ft. collector area	2019 LR Res NC / 2019 Non Res NC	110.0	<a href="#">Ordinances 1979, 1980, 1981</a>
Carlsbad	EE	3/12/2019	8/14/2019	<u>New</u> : HPWH <b>OR</b> solar thermal <u>Adds/Alts</u> : > \$60k: Presc. measures	<u>New</u> : HPWH <b>OR</b> increased solar fraction	<u>New</u> : Electric water heating <b>OR</b> solar thermal > 0.4 SF	<a href="#">Carlsbad Energy Conservation Ordinance CE Study</a>	18.30.170	<a href="#">Ord. No. CS-348</a>
	PV	3/12/2019	8/14/2019	N/A	<u>New/Alt</u> : 15 kW per 10,000 s.f.; min 5kW for < 10,000 s.f.	<u>New/Alt</u> : PV that offsets 80%; 15 kW per 10,000 s.f.; min 5kW for < 10,000 s.f.	<a href="#">2016 NR New Construction</a>	18.30.130	<a href="#">Ord. No. CS-347</a>
Davis	EE	10/8/2019	1/22/2020	<u>New SE</u> : All-electric <b>OR</b> Mixed Fuel, EDR margin of 9.5; <u>New LR ME</u> : Mixed fuel, EDR margin of 10; electric-ready	N/A	N/A	2019 LR Res New Construction	<a href="#">8.01.092</a>	<a href="#">Ord. No. 2565</a>

### 2019 Code Cycle - Locally Adopted Energy Ordinances

Jurisdiction	Ord. Type	Council Adopted Date	CEC Approval Date	Single Family and Low-rise Multifamily Requirement	High-rise Multifamily Requirement	Nonresidential Requirement	Cost-effectiveness Study	Municipal Code Link	Ordinance
Hayward	EE	3/17/2020	6/10/2020	N/A (see All-electric sheet)	<u>New</u> : All-electric <b>OR</b> 10% compliance margin	<u>New</u> : All-electric <b>OR</b> 10% compliance margin (15% for Office/Retail)	2019 LR Res NC / 2019 Non Res NC	<a href="#">9-1.02</a>	<a href="#">Ord. No. 20-05</a>
	PV	3/17/2020	6/10/2020	N/A (see All-electric sheet)	<u>New</u> : PV system to fill solar zone (>15% of roof area) as defined in Sec. 110.10	<u>New</u> : PV system to fill solar zone (>15% of roof area) as defined in Sec. 110.10			
Los Angeles County	EE	11/26/2019	4/8/2020	<u>New and Re-roof</u> : Low-slope Aged Refl. $\geq 0.65$ , TE $\geq 0.85$ , SRI $\geq 78$ Steep-slope: Aged Refl. $\geq 0.25$ , TE $> 0.85$ , SRI $\geq 20$	<u>New and Re-roof</u> : Low-slope Aged Refl. $\geq 0.65$ , TE $\geq 0.75$ , SRI $\geq 78$ Steep-slope: Aged Refl. $\geq 0.25$ , TE $> 0.75$ , SRI $\geq 20$	<u>New and Re-roof</u> : Low-slope Aged Refl. $\geq 0.68$ , TE $\geq 0.85$ , SRI $\geq 82$ Steep-slope: Aged Refl. $\geq 0.28$ , TE $> 0.85$ , SRI $\geq 27$	2016 Cool Roofs	Title 31	<a href="#">Ord No. 2019-0061</a>
Marin County	EE	10/8/2019	12/11/2019	<u>New</u> : All-electric <b>OR</b> Limited Mixed-Fuel prewire for induction, EE EDR Margin $\geq 3$ <b>OR</b> Mixed-Fuel, pre-wire for induction, EE EDR Margin $\geq 3$ and Total EDR Margin $\geq 10$	<u>New</u> : All-electric <b>OR</b> Limited Mixed-Fuel: 5% compliance margin, prewired for induction <b>OR</b> Mixed-Fuel: 10% compliance margin, pre-wired for induction	<u>New</u> : All-electric <b>OR</b> Limited Mixed-Fuel: 5% compliance margin, prewired for induction <b>OR</b> Mixed-Fuel: 10% compliance margin, pre-wired for induction	2019 LR Res NC / 2019 Non Res NC	<a href="#">19.04 Subchapter 2 - Green Building Requirements</a>	<a href="#">Ord. No. 3712</a>
	EV	10/8/2019	12/11/2019	<u>New SF</u> : Requires service panel capacity for Level 2 EV charging (240v) <u>New MF</u> : 1 EV charging space per dwelling unit	<u>New</u> : EV charging space per unit. <u>Add/Alt</u> : requirements	10% of spaces EV-Ready and build the remaining spaces to be EV Capable <b>OR</b> Build 20% of spaces to be EV-Ready and install EV Chargers in 5% of spaces <u>Add/Alt</u> requirements			
Menlo Park	PV	9/24/2019	12/11/2019	N/A (see All-electric sheet)	<u>New</u> : PV of 3 kW min. for < 10,000 sq. ft. and 5 kW min. for > 10,000 sq. ft. (some exceptions)	<u>New</u> : PV of 3 kW min. for < 10,000 sq. ft. and 5 kW min. for > 10,000 sq. ft. (some exceptions)	2019 LR Res NC / 2019 Non Res NC	<a href="#">12.16.110.10</a>	<a href="#">Ord. No. 1057</a>

### 2019 Code Cycle - Locally Adopted Energy Ordinances

Jurisdiction	Ord. Type	Council Adopted Date	CEC Approval Date	Single Family and Low-rise Multifamily Requirement	High-rise Multifamily Requirement	Nonresidential Requirement	Cost-effectiveness Study	Municipal Code Link	Ordinance
Mill Valley	EE	11/18/2019	4/8/2020	<u>New:</u> All-electric <b>OR</b> Limited Mixed-Fuel: prewire for induction, with EE EDR Margin $\geq 3$ <b>OR</b> Mixed-Fuel, pre-wire for induction, EE EDR Margin $\geq 3$ and Total EDR Margin $\geq 10$	<u>New:</u> All-electric <b>OR</b> Limited Mixed-Fuel: 5% compliance margin, prewired for induction <b>OR</b> Mixed-Fuel: 10% compliance margin, pre-wired for induction	N/A	2019 LR Res NC / 2019 Non Res NC	Chapter 14.48	<a href="#">Ord. No. 1313</a>
Milpitas	EE	12/3/2019	2/20/2020	<u>New:</u> All-electric <b>OR</b> Elec. Space and Water Heat: Eff. EDR Margin of 2 for SF and 1 for MF Mixed-Fuel: Total EDR Margin of 10 for SF and 11 for MF; <b>AND</b> electric-ready	<u>New HR MF/ Hotel:</u> All-electric <b>OR</b> > 6% compliance margin <b>AND</b> electric-ready	<u>New:</u> All-electric <b>OR</b> Office & Retail: >14% compliance margin; Industrial/ Manufacturing + 0%; All other NR occupancies > 6% compliance margin; <b>AND</b> electric-ready	2019 LR Res NC / 2019 Non Res NC	Chapter 11.2.02	<a href="#">Ord. No. 65 148</a>
	PV	12/3/2019	2/20/2020	N/A	N/A	<u>New:</u> PV of 3 kW min. for < 10,000 sq. ft. and 5 kW min. for > 10,000 sq. ft.		Chapter 11.2.02	
Mountain View	PV	11/12/2019	2/20/2020	N/A (see All-electric sheet)	<u>New:</u> PV on 50% of roof area	<u>New:</u> PV on 50% of roof area	2019 LR Res NC / 2019 Non Res NC	SEC. 8.20	<a href="#">Ord. No. 17.19</a>
	EV	11/12/2019	2/20/2020	<u>New:</u> Level 1 circuit + Level 2 EV-Ready	<u>New Multi-Unit/ Mixed Use:</u> 15% EV2 installed + 85% EV-Ready + Level 3 for every 100 spaces	<u>New + Hotel/Motel:</u> installed per CALGreen Tier 2 (Table A5.106.5.3.2)		SEC. 8.20	<a href="#">Ord. No. 17.19</a>
Pacifica	PV	11/25/2019	4/8/2020	N/A (see All-electric sheet)	PV of 3 kW min. for < 10,000 sq. ft. and 5 kW min. for > 10,000 sq. ft.	PV of 3 kW min. for < 10,000 sq. ft. and 5 kW min. for > 10,000 sq. ft.	2019 LR Res NC / 2019 Non Res NC	Section 8-6.01	<a href="#">Ord. No. 852-CS</a>

### 2019 Code Cycle - Locally Adopted Energy Ordinances

Jurisdiction	Ord. Type	Council Adopted Date	CEC Approval Date	Single Family and Low-rise Multifamily Requirement	High-rise Multifamily Requirement	Nonresidential Requirement	Cost-effectiveness Study	Municipal Code Link	Ordinance
Palo Alto	EE	12/2/2019	2/20/2020	N/A (see All-electric sheet)	<u>New</u> : All-electric OR > 5% compliance margin AND electric-ready	<u>New</u> : All-electric OR Office & Retail: >12% compliance margin; Industrial/ Manufacturing + 0%; All other NR occupancies > 5% compliance margin; <b>AND</b> electric-ready	2019 LR Res NC / 2019 Non Res NC	Chapter 16.17.80	<a href="#">Ord. No. 5485</a>
	PV	12/2/2019	2/20/2020	N/A	<u>New</u> : PV system to fill solar zone (>15% of roof area) as defined in Sec. 110.10	<u>New</u> : PV system to fill solar zone (>15% of roof area) as defined in Sec. 110.10		Chapter 16.17.70	
Richmond	PV	3/3/2020	6/10/2020	N/A (see All-electric sheet)	<u>New</u> : PV of 3 kW min. for < 10,000 sq. ft. and 5 kW min. for > 10,000 sq. ft. Alternative: Solar thermal ≥ 40 sq.ft. collector area	<u>New</u> : PV of 3 kW min. for < 10,000 sq. ft. and 5 kW min. for > 10,000 sq. ft. Alternative: Solar thermal ≥ 40 sq.ft. collector area	2019 LR Res NC / 2019 Non Res NC	Chapter 6.02.100	<a href="#">Ord No. 06-20 NS</a>
San Anselmo	EE	4/14/2020	9/9/2020	<u>New</u> : All-electric OR Limited Mixed-Fuel prewire for induction, EE EDR Margin ≥ 3 <b>OR</b> Mixed-Fuel, pre-wire for induction, EE EDR Margin ≥ 3 and Total EDR Margin ≥ 10	<u>New</u> : All-electric OR Limited Mixed-Fuel: 5% compliance margin, prewired for induction <b>OR</b> Mixed-Fuel: 10% compliance margin, pre-wired for induction	<u>New</u> : All-electric OR Limited Mixed-Fuel: 5% compliance margin, prewired for induction <b>OR</b> Mixed-Fuel: 10% compliance margin, pre-wired for induction	2019 LR Res NC / 2019 Non Res NC	Section 9-19.040	<a href="#">Ord. No. 1145</a>
	EV	4/14/2020	9/9/2020	<u>New SF</u> : Requires service panel capacity for Level 2 EV charging (240v) <u>New MF</u> : 1 EV charging space per dwelling unit	<u>New</u> : EV charging space per unit. <u>Add/Alt</u> requirements	10% of spaces EV-Ready and build the remaining spaces to be EV Capable <b>OR</b> Build 20% of spaces to be EV-Ready and install EV Chargers in 5% of spaces <u>Add/Alt</u> requirements		Section 9-19.020	<a href="#">Ord. No. 1145</a>

### 2019 Code Cycle - Locally Adopted Energy Ordinances

Jurisdiction	Ord. Type	Council Adopted Date	CEC Approval Date	Single Family and Low-rise Multifamily Requirement	High-rise Multifamily Requirement	Nonresidential Requirement	Cost-effectiveness Study	Municipal Code Link	Ordinance
San Francisco	EE	1/7/2020	4/8/2020	<u>New:</u> All-electric <b>OR</b> Mixed Fuel, Total EDR Score ≤ 14	<u>New HRR/Hotel:</u> All-electric <b>OR</b> Mixed-Fuel and >10% compliance margin	<u>New:</u> All-electric <b>OR</b> Mixed-Fuel: 10% compliance margin <b>AND</b> electric-ready Exception: Labs, industrial, manufacturing	2019 LR Res NC / 2019 Non Res NC	Section 4.201.3 Section 5.201.3	<a href="#">Ord. No 003-20</a>
San Jose	EE	10/1/2019	12/11/2019	N/A (see All-electric sheet)	<u>New HR MF/ Hotel:</u> All-electric <b>OR</b> > 6% compliance margin and electric-ready	<u>New:</u> All-electric <b>OR</b> Office & Retail: >14% compliance margin; Industrial/ Manufacturing + 0%; All other NR occupancies > 6% compliance margin; and electric-ready	2019 LR Res NC / 2019 Non Res NC	<a href="#">24.12.100</a>	<a href="#">Ord. No. 30311</a>
	EV	10/1/2019	12/11/2019	<u>New:</u> EV charging readiness and/or electric vehicle service equipment (EVSE)	<u>New:</u> EV charging readiness and/or electric vehicle service equipment (EVSE)	<u>New:</u> EV charging readiness and/or electric vehicle service equipment (EVSE)		24.10.200	<a href="#">Ord. No. 30311</a>
San Luis Obispo	EE	7/7/2020	8/11/2020	<u>New SF:</u> All-electric <b>OR</b> Mixed Fuel, EDR margin of 9; <u>New LR MF:</u> Mixed fuel, EDR margin of 9.5 <b>AND</b> electric-ready	<u>New:</u> All-electric <b>OR</b> Hotel/HRR > 9% compliance margin; <b>AND</b> electric-ready	<u>New:</u> All-electric <b>OR</b> Office/Retail 15% compliance margin, Others 5% compliance margin <b>AND</b> electric ready	2019 LR Res NC / 2019 Non Res NC	Chapter 15.50	<a href="#">Ord. No. 1684</a>
	PV	7/7/2020	8/11/2020	N/A	<u>New:</u> PV system to fill solar zone (>15% of roof area) as defined in Sec. 110.10	<u>New:</u> PV system to fill solar zone (>15% of roof area) as defined in Sec. 110.10		Chapter 15.04.110	<a href="#">Ord. No. 1684</a>
San Mateo (City)	EE			<u>New SF and Duplexes:</u> All-electric <b>OR</b> min Eff. EDR reduction of 2.5	N/A	<u>New Office Buildings:</u> All-electric <b>OR</b> Mixed-Fuel + 10% compliance margin	2019 LR Res NC / 2019 Non Res NC	23.23.040	<a href="#">Ord. No. 2019-9</a>
	PV	9/3/2019	12/11/2019	Prewire PV system for expansion to all-electric design	<u>New:</u> PV: ≥ 3 kW. Alternative: Solar thermal ≥ 40 sq ft collector area	<u>New:</u> <10,000 s.f.: min. 3 kW PV; 10,000+ s.f.: 5 kW PV Alternative: Solar thermal ≥ 40 s.f. collector area	2019 LR Res NC / 2019 Non Res NC	23.24.030	<a href="#">Ord. No. 2019-9</a>

### 2019 Code Cycle - Locally Adopted Energy Ordinances

Jurisdiction	Ord. Type	Council Adopted Date	CEC Approval Date	Single Family and Low-rise Multifamily Requirement	High-rise Multifamily Requirement	Nonresidential Requirement	Cost-effectiveness Study	Municipal Code Link	Ordinance
San Rafael	EE	11/18/2019	4/8/2020	<u>New</u> : CALGreen Tier 1: Mixed fuel, EDR ≥ 10, All-elec EDR ≥ 14	<u>New</u> : CALGreen Tier 1 (5% compliance margin)	<u>New</u> : CALGreen Tier 1 (10% compliance margin)	2019 LR Res NC / 2019 Non Res NC	Chapter 12.100	<a href="#">Ord. No. 1974</a>
Santa Monica	EE	9/24/2019	12/11/2019	<u>New</u> : All-electric <b>OR</b> Mixed-Fuel with CalGreen Tier 1	<u>New HRR/Hotel</u> : All-electric <b>OR</b> Mixed-Fuel and >5% compliance margin	<u>New</u> : All-electric <b>OR</b> Mixed-Fuel and >10% compliance margin	2019 LR Res NC / 2019 Non Res NC	<a href="#">8.36.020</a>	<a href="#">Ord. No. 2617</a>
	PV			<u>Major Additions</u> : PV system 1.5 watts per sq. ft.	<u>New and Major Additions</u> : 2 watts per sq. ft.	<u>New and Major Additions</u> : 2 watts per sq. ft.	2019 LR Res NC: PV + Additions Addendum	<a href="#">8.106.055</a>	<a href="#">Ord. No. 2617</a>
West Hollywood	EE, Cool Roofs	8/19/2019	12/11/2019	<u>New or Alteration</u> > 10,000 sq. ft.: PV to offset 15% of usage <b>OR</b> solar thermal with min. .5 solar fraction <b>OR</b> vegetative roof covering min. 30%	<u>New or Alteration</u> > 10,000 sq. ft.: PV to offset 15% of usage <b>OR</b> solar thermal with min. .5 solar fraction <b>OR</b> vegetative roof covering min. 30%	<u>New or Alteration</u> > 10,000 sq. ft.: PV to offset 15% of usage <b>OR</b> solar thermal with min. .5 solar fraction <b>OR</b> vegetative roof covering min. 30%	2019 NR+ Retrofits PV / 2019 Non Res NC	19.20.060	<a href="#">Ord. No. 19-1072</a>

This report was prepared for the California Statewide Codes & Standards Program. The program is funded by California utility customers and administered by Pacific Gas and Electric Company, San Diego Gas & Electric Company (SDG&E®), Southern California Gas Company, and Southern California Edison Company under the auspices of the California Public Utilities Commission and in support of the California Energy Commission.

© 2020 Pacific Gas and Electric Company, San Diego Gas and Electric Company, Southern California Gas Company and Southern California Edison.  
All rights reserved, except that this document may be used, copied, and distributed without modification

## 2019 Code Cycle - Locally Adopted All-Electric Only Ordinances

Jurisdiction	Ord. Type	Council Adopted Date	CEC Approval Date	Scope			Municipal Code Link	Ordinance
				Single Family and Low-rise Multifamily	High-rise Multifamily	Nonresidential		
Berkeley	All-Electric	7/16/2019	N/A	New	New	New	Chapter 12.80	<a href="#">Ord. No. 7,672-N.S</a>
Brisbane	All-Electric	12/12/2019	2/20/2020	<u>New</u> : Exception for cooktops/fireplaces; pre-wire for electric.	<u>New</u> : All-electric	<u>New</u> : Except Life science occupancies and gas specific for profit kitchen	15.83.060	<a href="#">Ord. No. 643</a>
Burlingame	All-Electric	8/17/2020		<u>New</u> : Exception for indoor/outdoor cooking appliances and fireplaces; pre-wire for electric. <u>Adds/Alts</u> : > 50% valuation when HVAC included	<u>New</u> : All-electric	<u>New</u> : Exception for-profit kitchen cooking equipment; pre-wire for electric	110.0	<a href="#">Ordinances 1979, 1980, 1981</a>
Campbell	All-Electric	2/18/2020	N/A	<u>New</u> : All-electric space/water heating. Natural gas OK for other uses; pre-wire for electric	N/A	N/A	18.18.020	<a href="#">Ord. No 2,260</a>
Cupertino	All-Electric	1/21/2020	4/8/2020	<u>New</u> : All-electric (excluding ADUs)	<u>New</u> : All-electric	<u>New</u> : Exception for Fire, High-Hazard, Laboratory, and "Essential Facilities" occupancies; pre-wire for electric	16.54.100	<a href="#">Ord. No. 19-2193</a>
Hayward	All-Electric	3/17/2020	6/10/2020	<u>New</u> : All-electric (including ADUs > 400 sq. ft.)	<u>New</u> : All-electric <b>OR</b> 10% compliance margin	<u>New</u> : All-electric <b>OR</b> 10% compliance margin (15% for Office/Retail)	<a href="#">9-1.02</a>	<a href="#">Ord. No. 20-05</a>
Healdsburg	All-Electric	12/16/2019	2/20/2020	<u>New</u> : Exception for cooktops, fireplaces, pool/spa; pre-wire for electric	<u>New</u> : Exception for cooktops, fireplaces, pool/spa; pre-wire for electric	<u>New</u> : Exception for cooktops, fireplaces, pool/spa, Essential Services, technical processes; pre-wire for electric	Section 15.04	<a href="#">Ord. No. 1196</a>
Los Altos Hills	All-Electric	2/20/2020		<u>New</u> : All-electric space/water heating (including ADUs). Natural gas OK for other uses; pre-wire for electric	N/A	N/A	Chapter 1.6	<a href="#">Ord. No. 589</a>

**2019 Code Cycle - Locally Adopted All-Electric Only Ordinances**

Jurisdiction	Ord. Type	Council Adopted Date	CEC Approval Date	Scope			Municipal Code Link	Ordinance
				Single Family and Low-rise Multifamily	High-rise Multifamily	Nonresidential		
Los Gatos	All-Electric	12/17/2019	2/20/2020	<u>New</u> : All-electric (including ADUs); pre-wire for battery storage	N/A	N/A	Chapter 6.70.020	<a href="#">Ord. No. 2299</a>
Menlo Park	All-Electric	9/24/2019	12/11/2019	<u>New</u> : All-electric space/water heating and clothes dryers. Natural gas OK for cooktops/fireplaces; pre-wire for electric	<u>New</u> : All-electric	<u>New</u> : All-electric	<a href="#">Chapter 12.16</a>	<a href="#">Ord. No. 1057</a>
Morgan Hill	All-Electric	10/23/2019	N/A	<u>New</u> : All-electric	<u>New</u> : All-electric	<u>New</u> : All-electric	Chapter 15.63.40	<a href="#">Ord. No. 2306 N.S.</a>
Mountain View	All-Electric	10/22/2019	2/20/2020	<u>New SF and Duplexes</u> : Exception for cooktops/fireplaces; pre-wire for electric. <u>New LR MF</u> : Exception for-profit kitchen cooking equipment	<u>New</u> : exception for F, H, and L occupancies and for-profit kitchen cooking equipment	<u>New</u> : exception for Fire, High-Hazard, and Laboratory occupancies and for-profit kitchen cooking equipment	Sec. 8.20	<a href="#">Ord. No. 17.19</a>
Pacifica	All-Electric	11/25/2019	4/8/2020	<u>New</u> : Exception for ADUs; and cooktops/fireplaces; pre-wire for electric. <u>New LR MF</u> : Exception for-profit kitchen cooking equipment	<u>New</u> : Exception for cooktops/fireplaces; pre-wire for electric	<u>New</u> : exception for Fire and Police occupancies and for-profit kitchen cooking equipment	Section 8-6.01	<a href="#">Ord. No. 852-CS</a>
Palo Alto	All-Electric	12/2/2019	2/20/2020	<u>New</u> : All-electric	<u>New</u> : All-electric <b>OR</b> > 5% compliance margin; electric-ready	<u>New</u> : All-electric <b>OR</b> Office & Retail: >12% compliance margin; Industrial/ Manufacturing + 0%; All other NR occupancies > 5% compliance margin; pre-wire for electric	16.17.80	<a href="#">Ord. No. 5485</a>



## 2019 Code Cycle - Locally Adopted All-Electric Only Ordinances

Jurisdiction	Ord. Type	Council Adopted Date	CEC Approval Date	Scope			Municipal Code Link	Ordinance
				Single Family and Low-rise Multifamily	High-rise Multifamily	Nonresidential		
Richmond	All-Electric	3/3/2020	6/10/2020	<u>New</u> : All-electric space/water heating and clothes dryers. Natural gas OK for cooktops/fireplaces; pre-wire for electric <u>Replace/Upgrade Equipment</u> : all-electric	<u>New</u> : All-electric	<u>New</u> : Exception for Fire/Police, Life Sciences, For-profit kitchen cooking equipment; pre-wire for electric	Chapter 6.02.100	<a href="#">Ord No. 06-20 NS</a>
San Jose	All-Electric	9/17/2019	N/A	<u>New</u> : All-electric	N/A	N/A	Chapter 17.845	<a href="#">Ord No. 30330</a>
San Mateo County	All-Electric	2/25/2020	9/9/2020	<u>New</u> : All-electric	<u>New</u> : All-electric	<u>New</u> : exception for Laboratories, Emergency operations, and for-profit cooking (requires approval)	Section 9200	<a href="#">Ord No. 4824</a>
Santa Cruz	All-Electric	4/14/2020	N/A	<u>New</u> : All-electric	<u>New</u> : All-electric	<u>New</u> : All-electric	Chapter 6.100	<a href="#">Ord. No. 2020-06</a>
Santa Rosa	All-Electric	11/12/2019	2/20/2020	<u>New</u> : All-electric	N/A	N/A	Chapter 18-33.040	<a href="#">Ord. No. 2019-019</a>
Saratoga	All-Electric	12/4/2020	4/8/2020	<u>New</u> : All-electric space/water heating. Natural gas OK for cooktops/fireplaces/clothes dryer; pre-wire for electric	<u>New</u> : All-electric space/water heating; pre-wire for electric	<u>New</u> : All-electric space/water heating. Except public agency owned emergency centers; pre-wire for electric	Chapter 16.51.015	<a href="#">Ord. No. 366</a>
Windsor	All-Electric	10/16/2019	2/20/2020	<u>New</u> : All-electric	N/A	N/A	Chapter 7.7.100	<a href="#">Ord. No. 2019-338</a>

This report was prepared for the California Statewide Codes & Standards Program. The program is funded by California utility customers and administered by Pacific Gas and Electric Company, San Diego Gas & Electric Company (SDG&E®), Southern California Gas Company, and Southern California Edison Company under the auspices of the California Public Utilities Commission and in support of the California Energy Commission.

© 2020 Pacific Gas and Electric Company, San Diego Gas and Electric Company, Southern California Gas Company and Southern California Edison.  
All rights reserved, except that this document may be used, copied, and distributed without modification